

ASME & TC AIR STORAGE SYSTEMS



NOTE: Weights and Sizes listed in this brochure are approximations and are subject to change without notice. For exact weights and dimensions please consult a Jordair representative.

ASME System Features:

- Vertical Rack
- 7000 PSIG ASME Cylinders
- ASME Relief Valve
- CRN certified
- Cylinder Isolation Valves
- System pressure gauge
- Burst Discs
- Cylinder Drain Valve
- The complete system is fully assembled and pressure tested.

TC System Features:

- Vertical Rack
- 4500/6000 PSIG DOT/TC Cylinders
- Cylinders are complete with individual shutoff valves and safety burst disks
- The complete system is fully assembled and pressure tested.

STATIONARY TC BOTTLE RACKS – 4500 PSIG

MODEL	CYLINDERS	CAPACITY	PRESSURE	WEIGHT	SIZE (IN) H x D x W
JD-4500-2R	2	888 FT ³	4500 PSI	300 LBS	52" x 10" x 24"
JD-4500-3R	3	1332 FT ³	4500 PSI	460 LBS	52" x 10" x 24"
JD-4500-4R	4	1776 FT ³	4500 PSI	620 LBS	52" x 10" x 24"
JD-4500-6R	6	2664 FT ³	4500 PSI	925 LBS	52" x 10" x 48"
JD-4500-8R	8	3552 FT ³	4500 PSI	1400 LBS	52" x 10" x 48"
JD-4500-10R	10	4440 FT ³	4500 PSI	1850 LBS	52" x 10" x 48"

STATIONARY TC BOTTLE RACKS – 6000 PSIG

MODEL	CYLINDERS	CAPACITY	PRESSURE	WEIGHT	SIZE (IN) H x D x W
JD-6000-2R	2	1018 FT ³	6000 PSI	390 LBS	52" x 10" x 24"
JD-6000-3R	3	1527 FT ³	6000 PSI	580 LBS	52" x 10" x 24"
JD-6000-4R	4	2036 FT ³	6000 PSI	775 LBS	52" x 10" x 24"
JD-6000-6R	6	3054 FT ³	6000 PSI	1160 LBS	52" x 10" x 48"
JD-6000-8R	8	4072 FT ³	6000 PSI	1550 LBS	52" x 10" x 48"
JD-6000-10R	10	5090 FT ³	6000 PSI	1950 LBS	52" x 10" x 48"

STATIONARY TC RACKS (RACK ONLY)

MODEL	CYLINDERS	WEIGHT	SIZE (IN) H x D x W
JVCR-4C	4	110 LBS	24" x 22" x 54"
JVCR-6C	6	165 LBS	35" x 22" x 54"
JVCR-8C	8	220 LBS	47" x 22" x 54"
JVCR-10C	10	275 LBS	60" x 22" x 54"

STATIONARY BOTTLE RACKS - ASME CYLINDERS

MODEL	CYLINDERS	CAPACITY	PRESSURE	WEIGHT	SIZE (IN) H x D x W
JA-537-7C2	2	1074 FT ³	7000 PSIG	880 LBS	60" x 24" x 24"
JA-537-7C3	3	1611 FT ³	7000 PSIG	1320 LBS	60" x 24" x 24"
JA-537-7C4	4	2148 FT ³	7000 PSIG	1760 LBS	60" x 24" x 24"
JA-537-7C6	6	3222 FT ³	7000 PSIG	2650 LBS	60" x 24" x 36"
JA-537-7C8	8	4296 FT ³	7000 PSIG	3090 LBS	60" x 24" x 48"

STATIONARY ASME RACKS (RACK ONLY)

MODEL	CYLINDERS	WEIGHT	SIZE (IN) H x D x W
JVCR-4A	4	110 LBS	51" x 26" x 20"
JVCR-6A	6	165 LBS	51" x 26" x 36"
JVCR-8A	8	220 LBS	51" x 26" x 48"

HORIZONTAL STATIONARY BOTTLE RACKS – TC/ASME CYLINDERS

MODEL	CYLINDERS	WEIGHT	SIZE (IN) H x D x W
JHCR-2CA	2	165 LBS	29" x 11" x 66"
JHCR-4CA	4	220 LBS	43" x 11" x 66"
JHCR-6CA	6	275 LBS	43" x 16" x 66"

INDIVIDUAL CYLINDERS & MANIFOLDS:

J-CYL-TC-4500	Cylinder, TC, 4500 PSIG, 444 Cubic Feet, CGA-347 Valve
J-CYL-TC-6000	Cylinder, TC, 6000 PSIG, 509 Cubic Feet, CGA-702 Valve
J-CYL-ASME-7000	Bare Cylinder, ASME, 7000 PSI, 537 Cubic Feet
J-DP-O-B-SS	6000 PSI Drain valve for A.S.M.E. cylinder
J-CYL-MA-TC-5000	Manifold for 1 TC Cylinder - CGA 347, 4500 PSIG
J-CYL-MA-TC-6000	Manifold for 1 TC Cylinder - CGA 702, 6000 PSIG

HOSE REELS:

J-HPHR-6000	Hose Reel, High Pressure - c/w 100' 6000 PSIG hose
J-LPHR-200	Hose Reel, Low Pressure - c/w 100' 200 PSIG hose

ASME air storage systems do not require testing beyond the original design and test of the pressure vessel. External and internal visual inspection for corrosion is recommended every 5 years.

In addition ASME cylinders are the correct air storage system for all jurisdictions in Canada. ASME vessels are designed to the ASME code and as such have the highest safety factor.

TC cylinders are designed for the transport of air and gas and normally used for this purpose. As long as these cylinders are arranged in a rack or clamped method acceptable to the local authorities then the application is accepted. TC cylinders require inspection and re-testing as per code on a regular basis.